10531552 - GAU: 1617

Sheet 1 of 7

GROUP

1617

12/17/2008		Application No.: 10/531,55
/Timothy Betton/	ATTY DOCKET NO.	APPLICATION NO
	9516-075-999	10/531,552
FIEOP REFERENCES CITED BY APPLICANT	APPLICANT	
(Use several sheets if necessary)	Zeldis	

FILING DATE

12/17/2008 April 13, 2005

TRADE IN	Τ		T	T			FILING DATE
/T.B./	A01	DOCUMENT NUMBER 2001/0056114	DATE 12/27/01	D'Amato	CLASS	SUBCLASS	IF APPROPRIAT
/1.0./	A02	2002/0035090	3/21/02	Zeldis et al.		<u> </u>	
	A03	2002/0052398	5/2/02	D'Amato			
	A04	2002/0054899	5/9/02	Zeldis			
	A04	2002/0054899	5/23/02	D'Amato			
				D'Amato			
	A06	2002/0161023	10/31/02				
	A07	2002/0173658	11/21/02	Muller et al.			
	A08	2002/0183360	12/5/02	Muller et al.			
	A09	2003/0028028	2/6/03	Man et al.			
	A10	2003/0045726	3/6/03	Muller			
	A11	2003/0069428	4/10/03	Muller et al.			
	A12	2003/0139451	7/24/03	Shah et al.			
	A13	2003/0144325	7/31/03	Muller et al.			
	A14	2003/0181428	9/25/03	Green et al.			
	Al5	2003/0187024	10/2/03	D'Amato	1		
	A16	2003/0187052	10/2/03	Muller et al.	ı		
	A17	2003/0191098	10/9/03	D'Amato			
	A18	2003/0235909	12/25/03	Hariri et al.			
\neg	A19	2004/0019106	1/29/04	Muller et al.			
	A20	2004/0029832	2/12/04	Zeldis			
	A21	2004/0006096	1/8/04	Muller et al.			
-	A22	2004/0077685	4/22/04	Figg et al.			
	A23	2004/0077686	4/22/04	Dannenberg et al.			
	A24	2004/0087546	5/6/04	Zeldis			
	A25	2004/0091455	5/13/04	Zeldis			
	A26	2004/0122052	6/24/04	Muller et al.			
	A27	2004/0147588	7/29/04	Man et al.		(T	
-	A29	2004/0167199	8/26/04	Muller et al.		1	
	A29	2004/0167174	8/26/04	Man et al.			
_	A30	2004/0259873	12/23/04	Man et al.			
_	A31	2005/0014727	1/20/05	Muller et al.			
	A32	2003/0114516	6/19/03	Muller et al.		-	
_	A34	2006/0084815	4/20/06	Muller et al.	_		
	A34	2006/0025457	2/2/06	Muller et al.		-	
_	A35	6.844,359	1/18/05	Muller	+	1	-
V	A36	6,699,899	3/2/04	Man et al.			-

NYI-3874760v1 ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /T.B./

A81 5.580,755

10531552 - GAU: 1617

Sheet 2 of 7 Application No.: 10/531,552 A37 6,673,828 1/6/04 Green et al. /T.B./ A38 6.667.316 12/23/04 Man et al. A39 6,656,964 12/2/03 Muller et al. 6,518,298 2/11/03 Green et al. A40 6,518,281 2/11/03 Muller et al. A41 6,479,554 11/12/02 Muller et al. A42 6,469,045 10/22/02 Δ43 D'Amato 6,429,221 8/6/02 Muller et al. A44 A45 6,420,414 7/16/02 D'Amato A46 6.326.388 12/4/01 Man et al. 9/4/01 A47 6,284,780 Muller et al. A48 6,262,101 7/17/01 Muller et al. 6,228,879 Green et al. A49 5/8/01 A50 6.225.348 5/1/01 Paulson ASI 6 218 369 4/17/01 Rombardelli et al A52 6.214.857 4/10/01 Muller et al. A53 6,200,987 3/13/01 Muller A54 6,180,644 1/30/01 Muller et al. A55 6.130.226 10/10/00 Muller et al. 6,075,041 6/13/00 Muller A56 6.046,221 4/4/00 Muller et al. A57 A58 6.020.358 1/4/00 Muller et al. 6.015.803 1/18/00 Wirostko A60 6,011,050 1/4/00 Muller et al. A61 6.001,368 12/14/99 Jenks A62 5.968.945 10/19/99 Muller et al. 5,929,117 7/27/99 Muller et al. A63 A63 5.877.200 3/2/99 Muller A68 5,801,195 9/1/98 Muller et al. A68 5,770,589 6/23/98 Billson 5,736,570 A67 4/7/98 Muller A68 5,733,566 3/31/98 Lewis A62 5,728,845 3/17/98 Muller A70 5.728.844 3/17/98 Muller A71 5.712.291 3/17/98 D'Amato 5.703.098 A72 12/30/97 Muller A73 5.698.579 12/16/97 Muller A74 5,674,533 10/7/97 Santus et al. A75 5,658,940 8/19/97 Muller et al. A70 5.643.915 7/1/97 Andrulis et al. A77 5,639,476 6/17/97 Oshlack et al. A78 5,632,984 5/27/97 Wong et al. 5 605 914 2/25/97 A79 Muller A80 5,591,767 1/7/97 Mohr et al.

Souza

12/3/96

10531552 - GAU: 1617

٠,	٠,	.		v	
Chan	3	οf	7		

					App	olication No.: 10/531,552
/T.B./	A82	5,528,823	6/25/96	Rudy et al.		
1	A83	5,463,063	10/31/95	Muller		
-	A84	5,393,870	2/28/95	Deeley et al.		
\pm	A85	5,391,485	2/21/95	Deeley et al.		
-	A86	5,385,901	1/31/95	Kaplan et al.		
\top	A87	5,354,556	10/11/94	Sparks et al.		
	A88	5,288,487	2/22/94	Kawashima et al.		
	A89	5,229,496	7/20/93	Deeley et al.		
-	A90	5,134,127	7/28/92	Stella et al.		
	A91	5,120,548	6/9/92	McClelland et al.		*
	A92	5,073,543	12/17/91	Marshall et al.		
\dashv	A93	5,059,595	10/22/91	LeGrazie		<u> </u>
-1	A94	4,999,291	3/12/91	Souza		
	A95	4,810,643	3/7/89	Souza		
	A96	4,008,719	2/22/77	Theeuwes et al.		
	A97	3,916,899	11/4/75	Theeuwes et al.		
\dashv	A98	3,845,770	11/5/74	Theeuwes et al.		-
\neg	A99	3,598,123	8/10/71	Zaffaroni		
_	A100	3,536,809	10/27/70	Applezweig		
_	A101	7,173,058	2/6/07	Muller et al.		
	A102	6,962,940	11/8/05	Muller et al.		
	A103	6,911,464	6/28/05	Man et al.		
∇	A104	7,034,052	4/25/06	Muller et al.		

FOREIGN PATENT DOCUMENTS							
	DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSL	ATIO
						YES	NO
B01	WO 03/080049	10/2/03	PCT				
B02	WO 03/080048	10/2/03	PCT				
B03	WO 01/87307	11/22/01	PCT				$\overline{}$
B04	WO 01/87306	11/22/01	PCT				Т
B05	WO 01/45702	6/28/01	PCT				Т
B06	WO 01/34606	5/17/01	PCT				Т
B07	WO 99/06041	2/11/99	PCT				\vdash
B08	WO 97/23457	7/3/97	PCT				\vdash
B09	WO 97/08143	3/6/97	PCT				T
B10	WO 95/01348	1/12/95	PCT				
B11	JP 11-286455	10/19/99	Japan				_
	B02 B03 B04 B05 B06 B07 B08 B09	B01 WO 03/080049 B02 WO 03/080048 B03 WO 01/87307 B04 WO 01/87306 B05 WO 01/45702 B06 WO 01/34606 B07 WO 99/06041 B08 WO 97/23457 B09 WO 97/08143 B10 WO 95/01348	DOCUMENT NUMBER DATE	DOCUMENT NUMBER DATE COUNTRY	DOCUMENT NUMBER DATE COUNTRY	DOCUMENT NUMBER DATE COUNTRY CLASS SUBCLASS	DOCUMENT NUMBER DATE COUNTRY CLASS SUBCLASS TRANSL.

		OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.)
/T.B./	C01	Beazley et al., 1985, "Malignant stricture at the confluence of the billary tree: diagnosis and management," Surg. Annu. 17:125-41
/T.B./	C02	Bellamy et al., 2001, "Vascular endothelial cell growth factor is an autocrine promoter of abnormal localized immature myeloid precursors and leukemia progenitor formation in myelodysplastic syndromes," Blood 97:1427-1434
/T.B./	C03	Bennett et al., 1985, "Proposed revised criteria for the classification of acute myeloid leukemia. A report of the French- American-British Cooperative Group," Ann. Intern. Med. 103(4):620-625
/T.B./	C04	Bennett et al., 1982, "Proposals for the classification of the myelodysplastic syndromes," Br. J. Haematol. 51:189-199

Sheet 4 of 7 Application No.: 10/531,552

/T.B./	C05	Besa, 1992, "Myelodysplastic syndromes (refractory anemia). A perspective of the biologic, clinical, and therapeutic issues," Med. Clin. North Am. 76(3):599-617
/T.B./	C06	Besa et al., 1990, "Erythroid response of severely anemic or transfusion-dependent patients with myelodysplastic syndrome to recombinant human erythropoietin (EPO) does not correlate with baseline serum EPO levels," Blood 76(10 Supp. 1):133a Abstract 521
/T.B./	C07	Bowen et al., 1991, "The treatment of anaemia in the myelodysplastic syndromes with recombinant human erythropoietin," Br. J. Haematol. 77(3):419-423
/T.B./	C08	Bumm et al., 2003, "Emergences of clonal cytogenic abnormalities in pH- cells in some CML patients in cytogenic remission to imatinib but restoration of polyclonal hematopoiesis in the majority." Blood 101:1941-1949
/T.B./	C09	Cancer Therapy Evaluation Program, 1998, "Common toxicity criteria," Version 2.0, Bethesda, MD: Division of Cancer Treatment and Diagnosis, National Institutes of Health, March, 1998. (Accessed June 13, 2007, at http://ctep.cancer_gov/reporting/etc.html.)
/T.B./	C10	Cartensen, 1995, Drug Stability: Principles & Practice, 2nd ed., Marcel Dekker, New York, NY pp. 379-380
	CH	Cheson et al., 2000, "Report of an international working group to standardize response criteria for myelodysplastic syndromes," Blood 96:3671-3674
	C12	Claessens et al., 2002, "In vitro proliferation and differentiation of crythroid progenitors from patients with myelodysplastic syndromes: evidence for Fas-dependent apoptosis," Blood 99:1594-1601
	C13	Corral et al., 1999, "Differential cytokine modulation and T cell activation by two distinct classes of thalidomide analogues that are potent inhibitors of TNF-alpha," J. Immunol. 163:380-386
	C14	Corral et al., 1999, Ann. Rheum. Dis. 58(Supp. I):1107-1113
	C15	Costa et al., 1998, Blood 92(10:suppl. 1):235b, Abstract #4007
	C16	D'Amato et al., 1994, "Thalidoide is an inhibitor of angiogenesis," PNAS USA 91(9):4082-4085
	C17	Davies et al., 2001, "Thalidomide and immunomodulatory derivatives augment natural killer cell cytotoxicity in multiple myeloma," Blood 98:210-216
	C18	Deeg et al., 2002, "Soluble TNF receptor fusion protein (etanercept) for the treatment of myelodysplastic syndrome: a pilot study," Leukemia 16:162-164
	C19	Dexter, 1989, "Haemopoietic growth factors," Br. Med. Bull. 45(2):337-349
	C20	Dexter, 1987, "Growth factors involved in haemopoiesis." J. Cell. Sci. 88 (Pt 1):1-6
	C21	Dredge et al., 2002, "Novel thalidomide analogues display anti-angiogenic activity independently of immunomodulatory effects," Br. J. Cancer 87(10):1166-1172
	C22	Ehrenpreis et al., 1999, "Thalidomide therapy for patients with refractory Crohn's disease: an open-label trial," Gastroenterology 117(6):1271-1277
	C23	Emens et al., 2001, "Chemotherapy: friend or foe to cancer vaccines?" Curr. Opin. Mol. Ther. 3(1):77-84
	C24	Gersuk et al., 1996, "Fas (CD95) receptor and Fas-ligand expression in bone marrow cells from patients with myelodysplastic syndrome," Blood 88(3):1122-1123
	C25	Goldberg et al., 2003, "Myelodysplastic subclones in chronic myeloid leukemia: implications for imatinib mesylate therapy," Blood 101:781
	C29	Goldberg et al., 1990, "Survey of exposure to genotoxic agents in primary myelodysplastic syndrome: correlation with chromosome patterns and data on patients without hematological disease," Cancer Res. 50(21):6876-6881
	C27	Greenberg et al., 1997, "International scoring system for evaluating prognosis in myelodysplastic syndromes," <i>Blood</i> 89(6):2079-2088
	C23	Gupta et al., 2001, "Adherences of multiple myeloma cells to bone marrow stromal cells upregulates vascular endothelial growth factor secretion: therapeutic applications," <i>Leukemia</i> 15:1950-1961
	C29	Handman et al., 1979, "Stimulation by granulocyte-macrophage colony-stimulating factor of Leishmania tropica killing by macrophages," J. Immunol. 122(3):1134-1137
	C30	Harris et al., 1999, "World Health Organization classification of neoplastic diseases of the hematopoietic and lymphoid tissues: report of the Clinical Advisory Committee meeting-Airlie House, Virginia, November 1997," J. Clin. Oncol. 17(12):3835-3849
	C31	Hellstrom-Lindberg et al., 1997, "Erythroid response to treatment with G-CSF plus erythropoietin for the anaemia of patients with myelodysplastic syndromes: proposal for a predictive model," Br. J. Haematol. 99:344-351
	C32	Hellstrom et al., 1990, "Treatment of myelodysplastic syndromes with recombinant human erythropoietin," Blood 76(Supp. 1):279a Abstract 1106
	C33	Jaffe et al., eds., 2001, "World Health Organization classification of turnours: pathology and genetics of turnours of haematopoietic and lymphoid tissues," Lyon, France: IARC Press pp. 61-74
	C34	Kaplan et al., 1958, "Nonparametric estimation from incomplete observations," J. Am. Stat. Assoc. 53:457-481
	C35	Kitagawa et al., 1997, "Overexpression of tumor necrosis factor (TNF)-α and interferon (INF)-γ by bone marrow cells from patients with myelodysplastic syndromes," Leukemia 11:2049-2054
	C36	Koch, 1985, "Thalidomide and congeners as anti-inflammatory agents," Prog. Med. Chem. 22:165-242
	_	Kropff, 2000, Blood 96(11 part 1):168a, Abstract #725

Sheet 5 of 7 Application No.: 10/531,552

/T.B./	C38	Kurland et al., 1979, "Induction of prostaglandin E synthesis in normal and neoplastic macrophages: role for colony- stimulating factor(s) distinct from effects on myeloid progenitor cell proliferation." Proc. Natl. Acad. Sci. USA 76(5):2326-2330
	C39	Lentzsch et al., 2003, "Immunomodulatory analogs of thalidomide inhibit growth of Hs Sultan cells and angiogenesis in vivo," Leukemia 17(1):41-44
	C40	List et al., 2005, "Efficacy of Lenalidomide in myelodysplastic syndromes," N. Engl. J. Med. 352(6):549-557
	C41	List et al., 2004, "Myclodysplastic syndromes," Wintrobe's Clinical Hematology, 11th ed., Philadelphia: Lippincott Williams & Wilkins pp. 2207-2234
	C42	List et al., 2004, "Vascular endothelial growth factor receptor-1 and receptor-2 initiate a phosphatidylinositide 3- kinase-dependent clonogenic response in acute myeloid leukemia cells," Exp. Hematol. 32:526-535
	C43	List, 2002, "The immunomodulatory thalidomide, CC5013, inhibits trophic response to VEGF in AML cells by abolishing cytokine-induced p13 kinase/akt activation," Blood 100(11):139a, Abstract #521
	C44	Maciejewski et al., 2002, "A pilot study of the recombinant soluble human tumour necrosis factor receptor (p75)-Fc fusion protein in patients with myelodysplastic syndrome," Br. J. Haematol. 117:119
_	C45	McCann, 1999, Drug Topics pp. 41-42 (June 21, 1999)
	C48	The Merck Manual, 1999, 17th ed., pp. 953-955
	C47	Metcalf, 1985, "The granulocyte-macrophage colony-stimulating factors," Science 229(4708):16-22
	C48	Moller et al., 1997, "Inhibition of IL-12 production by thalidomide," J. Immunol. 159(10):5157-5161
	C49	Moore, 1991, "The clinical use of colony stimulating factors," Ann. Rev. Immunol. 9:159-191
	C59	Moore et al., 1980, "Production of lymphocyte-activating factor (Interleukin 1) by macrophages activated with colony- stimulating factors," J. Immunol. 125(3):1302-1305
	C51	Moreira et al., 1993, "Thalidomide exerts its inhibitory action on tumor necrosis factor alpha by enhancing mRNA degradation," J. Exp. Med. 177:1675-1680
	C52	Muller et al., 1999, "Amino-substituted thalidomide analogs: potent inhibitors of TNF-alpha production," <i>Bioorg. Med. Chem. Lett.</i> 9(11):1625-1630
	C53	Munshi et al., 1999, Blood 94, Abstract #2577
	C56	Ogawa, 1989, "Hemopoietic stem cells: stochastic differentiation and humoral control of proliferation," Environ. Health Perspect. 80:199-207
	C59	Peddie et al., 1997, "Oxidative DNA damage in CD34+ myelodysplastic cells in associated with intracellular redox changes and elevated plasma tumor necrosis factor-α concentration," Br. J. Haematol. 99:625-631
	C56	Penichet et al., 2001, "Antibody-cytokine fusion proteins for the therapy of cancer," J. Immunol. Methods. 248(1-2):91 101
	C57	Physicians' Desk Reference, 2002, 56the ed. pp. 582-592, 1154-1158, 1755-1760
	C58	Rajapaksa et al., 1996, "Altered oncoprotein expression and apoptosis in myelodysplastic syndrome marrow cells,: Blood 88:4275-4287
	C59	Raza et al., 2001, "Thalidomide Produces Transfusion Independence in Long-standing Refractory Anemias of Patien with Myelodysplastic Syndromes," <i>Blood</i> 98(4):958-965
_	C59	Raza et al., 1995, "Apoptosis in bone marrow biopsy samples involving stromal and hematopoietic cells in 50 patient with myelodysplastic syndromes," Blood 86:268-276 Richardson et al., 2002, "Immunmodulatory drug CC-5013 overcomes drug resistance and is well tolerated in patient
	C61	with relapsed multiple myeloma," Blood 100:3063-3067 Rose et al., 1995, "The use of r-HuEpo in the treatment of anaemia related to myelodysplasia (MDS)," Br. J.
	C62	Rose et al., 1995, The use of F-Huepo in the treatment of anaemia related to myelodyspiasia (MDS), Br. J. Haematol. 89:831-837 Schrader et al., 1981, "The persisting (P) cell: histamine content, regulation by a T cell-derived factor, origin from a bone
		marrow precursor, and relationship to mast cells," Proc. Natl. Acad. Sci. USA 78(1):323-327
	C64	Singhal et al., 1999, "Antitumor activity of thalidomide in refractory multiple myeloma," N. Engl. J. Med. 341(21):1565-1571
	C65	Stanley et al., 1976, "Factors regulating macrophage production and growth: identity of colony-stimulating factor and macrophage growth factor," <i>J. Exp. Med.</i> 143(3):631-647
	C66	Tabbara et al., 1991, "Hematopoietic growth factors," Anticancer Res. 11(1):81-90
	C67	Tauro et al., 2002, "Functional disturbance of marrow stromal microenvironment in the myelodysplastic syndromes, Leukemia 16:785-790
	C68	Turk et al., 1996, "Binding of thalidomide to alpha1-acid glycoprotein may be involved in its inhibition of tumor necrosis factor alpha production," PNAS USA 93:7552-7556
	C69	Vadas et al., 1983, "Eosinophil activation by colony-stimulating factor in man: metabolic effects and analysis by flow cytometry," <i>Blood</i> 61(6):1232-1241
	C70	Vadas et al., 1983, "Activation of antibody-dependent cell-mediated cytotoxicity of human neutrophils and eosinophils by separate colony-stimulating factors." <i>J. Immunol.</i> 130(2):795-799
V	C71	Vasiliauskas et al., 1999, "An open-label pilot study of low-dose thalidomide in chronically active, steroid-dependent Crohn's disease," Gastroenterology 117(6):1278-1287

sheet 6 of 7

		Application No.: 10/531,552
/T.B./	C72	Weisbart et al., 1986, "Biosynthetic human GM-CSF modulates the number and affinity of neutrophil f-Met-Leu-Phe receptors," J. Immunol. 137(11):3584-3587
	C73	Wolff, ed., 1995, Burger's Medicinal Chemistry and Drug Discovery, 5th ed., pp. 172-178, 949-982
	C74	Marriott et al., 2001, "Immunotherapeutic and antitumour potential of thalidomide analogues," Expert Opin. Biol. Ther. 1(4):675-682
	C75	Muller et al., 1996, "Structural modifications of thalidomide produce analogs with enhanced tumor necrosis factor inhibitory activity," J. Med. Chem. 39(17):3238-3240
	C76	Hideshima et al. 2000, "Thalidomide and its analogs overcome drug resistance of human multiple myeloma cells to conventional therapy," Blood 96(9):2943-2950
	C77	Baker, AF; Bellamy, WT; Glinsmann-Gibson, B; Heaton, R.; Buresh, A.; Grogan, TM; List, AF; "Biological response to Thalidomide in Remitting Patients with Myelodysplastic Syndrome (MDD Selfusice For Induction of Neoplastic Vascular Endothelial Growth Factor (YEGE) Resistance" Blood 2001; 98(1):353a-4a, Babetat #1490.
	C78	List, AF; "Pharmacological Differentiation and Anti-Apoptic Therapy in Myelodysplastic Syndromes; "Forum Trends in Experimental and Clinical Medicine," 9:35-45,1999.
	C79	List, AF; Brasfield, F.; Heaton, R.; Glinsmann-Gibson, B.; Crook, L.; Taetle, R.; Capizzi, R.; "Stimulation of Hematopoiesis by Amifostine in Paitents with Myelodysplattic Syndrom. Blood 1997; 90(9): 3364-9.
	C80	List, AF; "New Approaches to the Treatment of Myelodysplastia," The ONcologist 2002; 7 Suppl. 1:39-49.
	C81	Thomas, D.A., Aguayo, A., Estey, E., Albitar, M., O'Brien, S., Giles, F.J., Beran, M., Cortes, J., Zeldis, J., Keæing, M.J., Barlogie, B., Kantarjian, H.M., Thalidomide as anti-angiogenesis therapy (rx) in refractory or relapsed leukemia. Abstract #0256, American Society of Hemaology, December 3-7, 1999.
	C82	Raza, A., Lisak, L., Andrews, C., Little, L., Muzammil, M., Alvi, S., Mazzoran, L., Zorat, F., Akber, A., Ekbal, M., Razvi, S., Venugopal, P., 2001. "Thaildomide produces transfusion independence in patients with long-standing refractory anemias and myelodysplastic syndromes (MDS)."
	C83	Raza, A., Lisak, L., Andrews, C., Little, L., Zorat, F., Shetty, V., Alvi, S., Mundle, S., Altampallam, K., Durandt, M., Elkbal, M., Muzammil, M., Encouraging improvement in cytopenias of patients with myelodysplastic syndromes (MDS) with thalidomide. Abstract #11, Amer. Soc. of Clinical Oncology, May 20-23, 2000.
	C84	Raza, A., Lisak, L., Little, L., Dean, L., Gezer, S., Venugopal, V., Summary and future direction of anti-tumor necrosis factor (TNF) therapies in myelodysplastic syndromes (MDS). Abstract #2700, American Society of Hematology, May 12-17, 2001.
	C85	Mundle, S., Zorat, F., Shetty, V., Allampallam, K., Alvi, S., Lisak, L., Little, L., Dean, L., Nascimben, F., Ekbal, M., Durandt, M., Broderick, E., Venugopal, P., Raza, A., Thalidomide in myelodysplasia. Abstract #626. American Society of Hematology, December 1-5, 2000.
	C86	Raza, A., Lisak, L., Little, L., Ekbal, M., Durandt, M., Ali, E., Nascimben, F., Tareen, M., Venugopal, P., Thalidomide as a single agent or in combination with topolecan, pentoxifylline and/or enbrel in myelodysplastic syndromes (MDS). Abstract #627, American Society of Henardology, December 1-5, 2000.
	C87	Estey, E., Albitar, M., Cortes, J., Giles, F., Thomas, D., Koller, C., Beran, M., Kantarjian, H., Addition of thalidomide(T) to chemotherapy did not increase remission rate in poor prognosis AML/MDS. Abstract #1394, American Society of Hematology, December 1-5, 2000.
	C85	Alvi, S., Henderson, B., Shaher, A., Dangerfield, B., Broderick, E., Jafri, N., Tarcen, M., Durandt, M., Galili, N., Borok, R.Z., Raza, A., Determination of clonality in stromal and parenchynal cells pre and post thalidomide treatment in myclodysplasia. Abstract #1536, American Society of Hennatology, December 1-5, 2000.
	C84	Alvi, S., Shaher, A., Henderson, B., Dar, S., Zorat, F., Broderick E., Lisak, L., Durandt, M., Reddy, P., Mundle, S., Galiti, N., Borok, R.Z., Raza, A., Improved growth of stromal cells in long term bone marrow cultures (LTBMC) of myelodysplastic synthorus (MDS) patients treated with halidenide. Abstract #1.547, American Society of Hematology, December 1-5, 2000.
	C90	Dourado, C. Mc., Seixas-Silva Jr., J.A., Besa, E.C., Response to thalidomide in 9 patients with myelodysplastic syndromes: A promising treatment for early or post-chemotherapy in late forms of MDS. Abstract #4855, American Society of Hematology, December 1-5, 2000.
	C91	Lisak, L.A., Little, L., Dean, L., Ekbal, M., Durandt, M., Hussain, M., Kaistha, V., Raza, A., Delayed responses to thalidomide in patients with myelodysplastic syndromes. Abstract #4861, American Society of Hematology, December 1-5, 2000.
	C92	Anders, O., Plath, F., Emmrich, J., Freund, M., Complete remission of therapy-resistant angiodysplasia of the stomach in myelodysplastic syndrome following thalidomide. Abstract #3820, American Society of Hematology, December 7-11, 2001.
	C93	Alvi, S., Shaher, A., Shaikh, M., Anthwal, S., Siddiqi, F., Akhtar, A., Ashraf, H., Meager, R., Mundle, S., Shetty, V., Goldberg, C., Galili, N., Borok, R.Z., Raza, A., MDS patients with hematological response to thalidomide show enhanced in vitro growth potential. Abstract #1482, American Society of Hematology, December 7-11, 2001.
	C94	Alvi, S., Shaikh, M., Anthwal, S., Shaher, A., Tamoseviciene, D., Novick, A., Reddy, P., Altampallam, K., Hsu, W.T., Galili, Norok, R.Z., Raza, A., Cytogenetic and clonal profile of myelodysplastic syndromes (MDS) patients treated with thaildomide. Abstract #1483, American Society of Hematology, December 7-11, 2001.
	C95	Alvi, S., Anthwal, S., Shaikh, M., Shaher, A., Shetty, V., Mundle, S., Reddy P., Allampallam, K., Bi, S., Zorat, F., Tamosveiciene, D., Rasila, K., Meagher, R., Westbrook, C., Galili, N., Gezer, S., Venugopal, P., Borok, R.Z., Raza, A., Thalidomide significantly augments proliferation and cytokine secretion to bone marrow cultures established from myelodysplastic syndrome (MDS) patients. Abstract #1484, American Society of Hematology, December 7-11, 2001.
V	C96	Musto, P., Falcone, A., Bodenizza, C., Sanpaolo, G., Matera, R., Bisceglia, M., Carella, A.M., Thalidomide (THAL) significantly improves anemia in selected transfusion-dependent patients with myelodysplastic syndromes (MDS):

12/17/2008

Sheet 7 of 7 Application No.: 10/531,552

/T.8	B./		relationship to serum and marrow levels of angiogenetic growth factors (AGF). Abstract #2606, American Society of Hematology, December 7-11, 2001.
		C97	Fabbri, A., Biscardi, M., Innocenti, F., Balestri, G., Gavazzi, S., Bellesi, G., Grossi, A., Thalidomide in combination with Amifostine in the treatment of MDS: evaluation of clinical and laboratory findings. Abstract #4819, American Society of Hematology, December 7-11, 2001.
		C98	Raza, A., Lisak, L., Dutt, D., Dean, L., Fantroy, L., Ali, E., Gezer, S., Hku, W-T., Goldberg, C., Loew, J., Venugopal, P., Combination of thalidomide with pentoxifylline, ciprofloxacin, and dexamethasone (PCD) in patients with myelodysplastic syndromes (MDS). Abstract #4830, American Society of Hematology, December 7-11, 2001.
		C99	Raza, A., Dutt, D., Lisak, L., Dean, L., Fantroy, L., Gezer, S., Ali, E., Goldberg, C., Loew, J., Hsu, W-T., Venugopal, P., Combination of thalidomide and enbrel for the treatment of patients with myelodysplastic syndromes (MDS). Abstract #4831. American Society of Hematology, December 7-11, 2001.
	-	C100	Shetty, V., Allampallam, K., Hussaini, S., Townsend, W., Dutt, D., Mundle, S., Alvi, S., Reddy, P.L., Ashraf, H., Galili, M., Saberwal, G.S., Anthwal, S., Shaikh, M.W., Heidelberg, A., Lisak, L., Gezer, S., Venugopal, P., Raza, A., Effects of anti-cytokine agents on apoptosis, proliferation, monocyte/macrophage number, microvessel density and cytokines following two successive clinical trials in 57 patients with myelodysplastic syndromes (MDS). Abstract #4837. American Society of Hematology, December 7-11, 2001.
		C101	Barlogie, B., Desikan, R., Munshi, N., Siegel, D., Mehta, J., Singhal, S., Anaissie, E., Single Course D.T. Pace Anti- Angiochemotherapy Effects CR in Plasma Cell Leukemia and Fulminant Multiple Myeloma (MM). Abstract #4180, American Society of Hematology, December 4-9, 1998.
		C102	Hideshima, T., Chauhan, D., Shima, Y., Noopur, R., Davies, F.E., Tal, Y., Treon, S.P., Lin, B.K., Schlossman, R.L., Richardson, P.G., Gupta, D., Muller, G.W., Stirling, D.I., Anderson, K.C., Thalidome (THAL) and its Analogs Overcome Drug Resistance of Human Multiple Myeloma (MM) Cells to Conventional Therapy. Abstract #1313. American Society of Hematology, December 1-5, 2000.
		C103	Paywardi, F., Wu, L., Gupta, D., Hideshima, T., Haley, M., Muller, G., Chen, R., Anderson, K.C., Stirling, D., Effects of a Thalidomide Analog on Binding Activity of Transcription Factors and Cell Cycle Progression of Multiple Myeloma Cell Lines. Abstract #2487. American Society of Hematology, December 1-5, 2000.
		C104	Davies, F.E., Raje, N., Hideshima, T., Lentzsch, S., Young, G., Tai, Y., Lin, B.K., Podar, K., Chauhan, D., Trons, S.P., Guppa, D., Missiades, C., Mitssides, N., Haysaki, T., Richardson, P.G., Schlossran, R.L., Muller, G.W., Stirling, D. I., Anderson, K.C., Thalidomide (THAL) and Immunemedulatory Derivatives (IMIDS) Augment Natural Killing, Cytotocikity in Multiple Myeloma (MM). Abstract #3617. American Society of Hematology, December 1-5, 2000.
		C105	Hideshima, T., Chauhan, D., Castro, A., Hayashi, T., Mitsiades, C., Mitsiades, N., Akiyama, M., Richardson, P.G., Schlossman, R.L., Adams, J., Anderson, K.C., NF-KB as a Therapeutic Target in Multiple Myeloma (MM). Abstract #1581 American Society of Hematology, December 7-11, 2001.
		C105	Lentsch, S., Rogers, M., Leblanc, R., Birsner, A., Shah, J., Anderson K., D'Amato R., 3-Amino-Phthalimido-Glutarimide (S 3APG) Inhibits Angiogenesis and Growth in Drug Resistant Multiple Myeloma (MM) In vivo. Abstract #1976, American Society of Hematology, December 7-11, 2001.
V	/	C107	Park, Y., Kim, S.A., Kim, C.J., Chung, J.H., Mechanism of the Effect of Thalidomide on Human Multiple Myeloma Cells. Abstract #2685. American Society of Clinical Oncology, May 12-17, 2001.

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

DATE CONSIDERED

/Timothy Betton/

EXAMINER